

# Pipetite

**Sizes** Styles available to fit tube or pipe up to 15" in diameter

**Connections** Pipetite Standard, ReBoot, and Flat have pre-drilled mounting holes

All Pipetite products are self-sealing

**Materials** Hygienic white silicone and 316 stainless steel, compatible with cleaning solution

**More Info** 500 °F temperature rating


Pipetite Standard and Grommet are IP34 rated

Mini Grommets are NEMA rated for Type 4, Type 4X, and Type 6 Enclosures

Molded lines guide your cutting

Pipetite forms a flexible, sanitary seal that allows for pipeline movement

 [csidesigns.com](http://csidesigns.com)

 800.654.5635  
417.831.1411



**CSI**

2700 N Partnership Blvd  
Springfield, MO 65803



**Standard**



**Flat**



**ReBoot**


## Dimensions

### Standard


For New Tubing Installations

SIZE	TUBE OD	A	B	ANCHORS	ITEM
1	0.00 - 1.00	2.76	2.24	4	PT1-000
2	0.00 - 2.50	4.17	3.58	4	PT2-000
3	0.00 - 3.74	5.79	5.04	6	PT3-000
4	2.76 - 5.31	7.36	6.61	6	PT4-000
5	3.94 - 7.09	9.33	8.39	10	PT5-000

All dimensions are shown in inches. Bolt holes are 0.177 inches in diameter. Sizes 1, 2, and 3 are full cones. Sizes 4 and 5 are not available as full cones.



Sizes 1, 2, and 3




Sizes 4 and 5

### Flat

For Jacketed Tank Installations

SIZE	TUBE OD	A	B	ANCHORS	ITEM
2	0.00 - 2.50	4.17	3.58	4	PTF2-000
3	0.00 - 3.74	5.79	5.04	6	PTF3-000
4	0.00 - 5.31	7.36	6.61	6	PTF4-000

All dimensions are shown in inches. Bolt holes are 0.177 inches in diameter.






**Sleeve Boot**




**Grommet**



**Mini Grommet**



**Sizes 2 and 3**



**Sizes 4 through 9**

## ReBoot

For Existing Tubing Installations

SIZE	TUBE OD	A	B	ANCHORS	ITEM
2	0.00 - 2.50	4.17	3.58	5	PTR2-000
3	0.00 - 3.74	5.79	5.04	7	PTR3-000
4	2.76 - 5.31	7.36	6.61	7	PTR4-000
5	3.94 - 7.09	9.33	8.39	10	PTR5-000
7	4.92 - 10.83	13.28	12.25	14	PTR7-000
9	6.50 - 15.00	19.31	18.39	20	PTR9-000

All dimensions are shown in inches. Bolt holes are 0.177 inches in diameter. Sizes 2 and 3 are full cones. Sizes 4 through 9 are not available as full cones.



**Anchor 1**



**Anchor 2**

## Anchors

For Mounting Pipetite Standard, Flat, and ReBoot

ANCHOR	SURFACE TYPES	ITEM
1	Concrete, brick	PTA-1
2	Panel walls, thin walls, concrete, brick	PTA-2




# Pipetite

## Dimensions

### Sleeve Boot For Tube-In-Tube Transitions


SIZE	SLEEVE OD	TUBE OD	A	ITEM
1	4	0.0 - 3.5	4.5	PTS1-000
2	6	0.0 - 5.5	6.0	PTS2-000

All dimensions are shown in inches.




### Grommet For Cabinets, Panels and Enclosures

SIZE	TUBE OD	A	B	ITEM
1	0.00 - 1.00	1.89	1.38	PTG1-000
2	0.00 - 2.56	3.23	2.75	PTG2-000
3	0.00 - 3.74	4.72	4.00	PTG3-000
4	2.76 - 5.31	6.30	5.75	PTG4-000
5	3.94 - 7.09	7.95	7.25	PTG5-000



Sizes 1, 2, and 3



Sizes 4 and 5

All dimensions are shown in inches.

Grommets fit wall thicknesses from 18 gauge to 11 gauge (0.048 to 0.120 in).

Sizes 1, 2, and 3 are full cones. Sizes 4 and 5 are not available as full cones.


### Mini Grommet

NEMA rated for Type 4, Type 4X and Type 6 Enclosures

SIZE	TUBE OD	A	B	ITEM
1	0.25	0.87	0.63	PTMG-1
2	0.31	0.87	0.63	PTMG-2
3	0.38	0.87	0.63	PTMG-3
4	0.50	0.87	0.63	PTMG-4

All dimensions are shown in inches.

Grommets fit wall thicknesses from 18 gauge to 11 gauge (0.048 to 0.120 in).



# CSI

2700 N Partnership Blvd  
Springfield, MO 65803

[csidesigns.com](http://csidesigns.com)

800.654.5635  
417.831.1411